

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS

s e a s o n

eight
SPLENDID
COLLECTION

look / book

ABOUT

US



KITCHEN



FURNITURE



BATHROOM



COMMERCIAL



HEALTHCARE



RESTAURANTS

AVAILABLE IN SHEET SIZE : **2440mm X 1220mm (8 feet X 4 Feet)** • EDGE BEND SIZE - **23mm x 1mm x 25mtrs**

Thickness Same as sample use in brochure



Zurich is a company known for its exceptional product offerings, which have supremely infinite application potential both in indoor and outdoor settings. Over the years, Zurich has created a special place for itself in the market, with it being the preferred choice of many consumers and influences alike. With a robust team and an able production facility to back it, Zurich has developed a huge range of high-quality decorative BENETTI ACRYLIC. Its range is entirely manufactured as per the internationally accepted standards of quality.

Zurich has already become a popular entity in the Indian market thanks to its impressive product range. But Zurich has also given ample focus to its growth in the foreign markets as well with a far-reaching export network that promises to change lifestyles and décors globally. Driven by its core principles of excellence and ethics, Zurich is moving forward with a mission to adorn as many décors as possible.

L U X U R I O U S A C R Y L I C C O L L E C T I O N




MARBLE SEGMENT

Crafting elegance in every slab.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 9721 ❄️❄️



ZH - 9722 ❄️❄️



ZH - 9723 ❄️❄️



“
Marble Luxe

Elegance carved in every layer.
 Acrylic strength with a marble soul.






MARBLE SEGMENT
Nature's masterpiece, refined for you..

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 9727 ✚✚



ZH - 9733 ✚✚-(NEW)



ZH - 9734 ✚✚-(NEW)



“
Stone Glow
 ”

The timeless grace of marble.
 The modern brilliance of acrylic.



MARBLE SEGMENT
Marble that speaks of luxury.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS





ZH - 9730 ✨- (NEW)



ZH - 9731 ✨



ZH - 9732 ✨



“
Marble Aura

Where tradition meets innovation.
 Refined textures, lasting impressions.





MARBLE SEGMENT
Carved by nature, perfected by design

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



White Veins

Marble-inspired elegance.
Perfect for modern interiors.



ZH - 9728 ✖✖



ZH - 9724 ✖✖



ZH - 9729 ✖✖





MARBLE SEGMENT
Marble that speaks luxury.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS




ZH - 9601 ✦



ZH - 9601 ✦



ZH - 9607 ✦



ZH - 9607 ✦



ZH - 9609 ✦



“
Royal Marble

Grandeur meets durability.
 Bring timeless class to your space.





MARBLE SEGMENT

Nature's canvas, artist's touch.


6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS

MarbleCraft

Art of stone, heart of acrylic.
 A perfect fusion of style & strength.




ZH - 9603 ✦



ZH - 9603 ✦



ZH - 9608 ✦



ZH - 9608 ✦



ZH - 9622 ✦-(NEW)





MARBLE SEGMENT
Timeless beauty in every vein.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 9621 ✨ - (NEW)

SCAN ME
FOR FULL SHEET VIEW



ZH - 9610 ✨

SCAN ME
FOR FULL SHEET VIEW



e i g h t
 s e a s o n

There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual color of Acrylic sheet and EDGE BAND may vary from this brochure.





MARBLE SEGMENT

Scripted by nature, perfected by design.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS

“
AuroMarble
 ”


Golden elegance, endless shine
 Sophistication redefined in acrylic



ZH - 9606



ZH - 9605




100mm X 23mm

ZH - 9605



ZH - 9602



100mm X 23mm

ZH - 9602



WOODEN SEGMENT
Crafted by nature, shaped with art.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



NatureCraft

Inspired by forests,
 perfected with acrylic clarity.



ZH - 9632 ✦



ZH - 9642 ✦-(NEW)



ZH - 9643 ✦-(NEW)





MIRROR & RIPPLE
SEGMENT

Shining reflections, fluid designs.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 01 ★★★




ZH - 02 ★★★



ZH - 03 ★★★



ZH - 04 ★★★



ZR - 11 ★★★★★




ZR - 12 ★★★★★



ZR - 13 ★★★★★



ZR - 14 ★★★★★



ZR - 15 ★★★-(NEW)

SELF ADHESIVE

APPLICATION METHOD

- Surface of Plywood/MDF must be dust free to use self adhesive mirror Acrylic Sheet
- For Better result It is advise to stick on matte finish surface laminate.
- Do not use zurich glue, white glue, silicon, araldite, Synthetic Rubber Adhesive or any other Adhesive for pasting.




PLAIN SEGMENT

Simplicity that defines elegance.


6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 8654



ZH - 8601



ZH - 8602




EB - 8654




EB - 8601



EB - 8602



ZH - 8636



ZH - 8612



ZH - 8607



EB - 8636



EB - 8612




EB - 8607




PLAIN SEGMENT

Beauty in its simplest form.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS




ZH - 8640




ZH - 8655



ZH - 8661



ZH - 8631



EB - 8640



EB - 8655



EB - 8661



EB - 8631




ZH - 8614




ZH - 8641



ZH - 8656



ZH - 8611



EB - 8614



EB - 8641



EB - 8656



EB - 8611



PLAIN SEGMENT
Plain surfaces, endless possibilities.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS




ZH - 8603




ZH - 8642



ZH - 8643



ZH - 8660-(NEW)



EB - 8603




EB - 8642



EB - 8643



EB - 8660-(NEW)




ZH - 8647



ZH - 8608



ZH - 8659



ZH - 8634



EB - 8647



EB - 8608



EB - 8659




EB - 8634




PLAIN SEGMENT
The art of subtle sophistication.


6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS




ZH - 8658



ZH - 8663



ZH - 8615




ZH - 8650



EB - 8658




EB - 8663




EB - 8615



EB - 8650




ZH - 8635



ZH - 8664



ZH - 8665



ZH - 8662



EB - 8635



EB - 8664



EB - 8665




EB - 8662



PLAIN SEGMENT
Minimal, timeless, unforgettable.


6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 8687



EB - 8687



ZH - 8688




EB - 8688



ZH - 8638




EB - 8638



ZH - 8689




EB - 8689



ZH - 8657




EB - 8657



ZH - 8604




EB - 8604



ZH - 8648



EB - 8648



ZH - 8649



EB - 8649



PLAIN SEGMENT
Simplicity that speaks volumes.


6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 8606



EB - 8606



ZH - 8637




EB - 8637



ZH - 8646



EB - 8646



ZH - 8645



EB - 8645



ZH - 8644



EB - 8644



ZH - 8609




EB - 8609



ZH - 8605



EB - 8605



ZH - 8610



EB - 8610



METALLIC SEGMENT

Bold reflections, timeless allure.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 9612 ✪



ZH - 9615 ✪



ZH - 8627 ✪




ZH - 9614 ✪




EB - 9612



EB - 9615



EB - 8627



EB - 9614



ZH - 9663 ✪



ZH - 8653 ✪



ZH - 9611 ✪




ZH - 8652 ✪



EB - 9663



EB - 8653



EB - 9611



EB - 8652



METALLIC SEGMENT

Crafted in metal, glowing with style.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 8620 ✪




ZH - 8626 ✪




ZH - 8630 ✪




ZH - 8619 ✪



EB - 8620




EB - 8626



EB - 8630




EB - 8619



ZH - 8613 ✪



ZH - 8625 ✪




ZH - 8621 ✪



ZH - 8622 ✪



EB - 8613



EB - 8625



EB - 8621



EB - 8622



METALLIC SEGMENT
Strength wrapped in elegance.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZH - 8629 ✪



EB - 8629



ZH - 9613 ✪



EB - 9613



ZH - 8617 ✪



EB - 8617



ZH - 8616 ✪



EB - 8616



ZH - 8667 ✪



EB - 8667



ZH - 8666 ✪




EB - 8666




MATT SEGMENT

Quiet charm, bold presence.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZM - 8902




ZM - 8940




ZM - 8914



ZM - 8920 ✚




ZM - 8961




ZM - 8941



ZM - 8911



ZM - 8925 ✚




There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual color of Acrylic sheet and EDGE BAND may vary from this brochure.



MATT SEGMENT
The art of understated beauty

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS



ZM - 8912




ZM - 8907




ZM - 8962



ZM - 8964



ZM - 8963



ZM - 8915




There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual color of Acrylic sheet and EDGE BAND may vary from this brochure.




MATT SEGMENT
Soft finish, strong impression.

6H
ANTISCRATCH
100% ACRYLIC
TESTED & VERIFIED BY SGS




ZM - 8903




ZM - 8904



ZM - 8950



ZM - 8947



ZM - 8908




ZM - 8965



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual color of Acrylic sheet and EDGE BAND may vary from this brochure.

REASONS FOR AIR BUBBLE FORMATIONS ON ACRYLIC SHEETS

To avoid de lamination / air bubbles in between ply and laminate the above steps should be taken care of.
Bonding of acrylic sheets shouldn't be completed under high humidity



Acrylic are bonded in extremely humid conditions

Debonding in certain areas because of uneven substrate surface

Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer)

Insufficient or lack of pressing during the bonding period of laminate

When substrate loses moisture after installation

Use of extremely large acrylic / PVC laminate sheets (more than 8 ft x 2 ft long)

CAUSES OF YELLOW PATCHES AND COLOUR FADING AFTER INSTALLATION:

Exposure to direct sunlight can gravely affect a laminate's appearance

Use of inferior or sub-standard dipped plywood or dipped lipping patti, which may chemically react with the adhesive

The use of synthetic rubber adhesives such as SR / Jat Pat, Bostic, Heatx, etc.

Prolonged exposure to high temperature (above 30°C ~ 35°C)

If hot cookware or utensils are directly placed on the laminate

Causes Of Crack Lines Or Stretch Lines In Benetti Acrylic Laminates Sheets.

To avoid the inside cracks & stretch line Do not store acrylic sheet in roll form.

ECO FRIENDLY

LOW CARBON EMISSIONS

PARAMETERS	BENETTI ACRYLIC LAMINATE	HIGH GLOSS LAMINATE MICA	PU COATING / DUCO PAINT	BACK PAINTED GLASS
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Antisractch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	Yes
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes

ZURICH[®] Reinventing Interiors

BENETTITM EXPERIENCE THE LUXURY

ZURICH[®] Reinventing Interiors
BOND
SPECIAL (ADHESIVE/GLUE)
FOR ACRYLIC • PVC • CHARCOAL
800 Gm.

ZURICH[®] Reinventing Interiors
BOND
STRONGLY RECOMMENDED
ADHESIVE FOR PRESSING

100% ACRYLIC
HARDNESS
ANTI-YELLOW
PROTECTS PANELS FROM AGE


SCAN HERE TO WATCH COMPLETE VIDEO TO UNDERSTAND THE APPLICATION OF ZURICH'S BENETTI ACRYLIC LAMINATE SHEETS.
ZURICH के बेनेटी एक्रिलिक लेमिनेट्स शीट्स के एप्लीकेशन को समझने के लिए पूरा वीडियो देखने के लिए यहां स्कैन करें।
PLEASE REMOVE PROTECTIVE FILM WITHIN 15 DAYS OF INSTALLATION

**FOR ASSURED GENUINE PRODUCTS
LOOKOUT FOR THIS STICKER ON SHEET**

**RECOMMENDED ADHESIVE
FOR PRESSING**




PANEL STRUCTURE



HIGH STRENGTH BOND
Now Available in : 800gm. & 4 Kg.

ZURICH WARRANTY

Our verbal and written advice relating to technical application is based on experience or stored and is correct to the best of our knowledge, and given without obligation. The use of ZURICH products by user in various conditions that are beyond our control. We recommend that the suitability of any ZURICH products for the intended application should be checked by user before the utilization. Utilization and processing of our products are beyond our control and are therefor exclusively user responsibility. Application errors, wether instability, low workmanship skill cause cracks and air bubble in Furniture. Inferior quality chemicals used substrate (plywood/MDF) cause yellow patches from back inside sheets. Due to import products company not get any warranty/guarantee from supplier, so company can not give any warranty / guarantee also. No complaints will be attended and no claim will be settled. In the event of manufacturing defect ZURICH is liable to entertain it within one year from date of purchase, after one year from date of purchase company will not attend any type of complain. Any compensation will be limited to the value of the goods supplied by us and used by you. Please use only ZURICH bond for application "Benetti 6H Antiscratch Acrylic Laminates" for good bonding with substrate.



SCAN HERE
TO VISIT OUR WEBSITE



OUR RANGE OF PRODUCTS



 www.zurichlam.in |  info@zurichlam.in

 [zurichlam](#)  [Zurichlam](#)  [Zurichlam](#)